



June 3, 2021

Regeneron Pharmaceuticals, Inc.
Attention: Yunji Kim, PharmD
Director, Regulatory Affairs
777 Old Saw Mill River Road
Tarrytown, NY 10591

RE: Emergency Use Authorization 091

Dear Dr. Kim:

On February 4, 2020, pursuant to Section 564(b)(1)(C) of the Act, the Secretary of the Department of Health and Human Services (HHS) determined that there is a public health emergency that has a significant potential to affect national security or the health and security of United States citizens living abroad, and that involves the virus that causes coronavirus disease 2019 (COVID-19).¹ On the basis of such determination, the Secretary of HHS on March 27, 2020, declared that circumstances exist justifying the authorization of emergency use of drugs and biological products during the COVID-19 pandemic, pursuant to Section 564 of the Federal Food, Drug, and Cosmetic Act (the Act) (21 U.S.C. 360bbb-3), subject to terms of any authorization issued under that section.²

On November 21, 2020, the Food and Drug Administration (FDA) issued an Emergency Use Authorization (EUA) for emergency use of REGEN-COV (casirivimab and imdevimab, administered together)³ for the treatment of mild to moderate COVID-19 in adults and pediatric patients (12 years of age and older weighing at least 40 kg) with positive results of direct SARS-CoV-2 viral testing, and who are at high risk for progressing to severe COVID-19 and/or hospitalization. Casirivimab and imdevimab are recombinant human IgG1 monoclonal antibodies that target the receptor binding domain of the spike protein of SARS-CoV-2. They are investigational drugs and are not approved for any indication.

¹ U.S. Department of Health and Human Services, *Determination of a Public Health Emergency and Declaration that Circumstances Exist Justifying Authorizations Pursuant to Section 564(b) of the Federal Food, Drug, and Cosmetic Act, 21 U.S.C. § 360bbb-3*. February 4, 2020.

² U.S. Department of Health and Human Services, *Declaration that Circumstances Exist Justifying Authorizations Pursuant to Section 564(b) of the Federal Food, Drug, and Cosmetic Act, 21 U.S.C. § 360bbb-3*, 85 FR 18250 (April 1, 2020).

³ The November 21, 2020 EUA referred to the authorized product as “casirivimab and imdevimab, administered together”. Regeneron subsequently requested, and FDA concurred, that the authorized labeling be revised to add references to authorized products’ trade name, “REGEN-COV”.

On February 3, 2021, FDA reissued the November 21, 2020 letter.⁴ Thereafter, on February 25, 2021, FDA reissued the February 3, 2021 letter.⁵

On June 3, 2021, again having concluded that revising this EUA is appropriate to protect the public health or safety under section 564(g)(2) of the Act, FDA is reissuing the February 25, 2021 letter in its entirety, authorizing revisions to the authorized use⁶ for REGEN-COV, a change in dosing of REGEN-COV from 2400 mg (1200 mg casirivimab and 1200 mg imdevimab) to 1200 mg (600 mg casirivimab and 600 mg imdevimab), and the addition of a new presentation consisting of a single vial containing casirivimab and imdevimab co-formulated in a 1:1 ratio for either intravenous infusion or subcutaneous injection. New conditions have been incorporated on the provision of samples of the authorized REGEN-COV to the U.S. Department of Health and Human Services, upon request, and the submission of certain genomic sequencing and virology information to the FDA by a specified date. Revisions to existing conditions on advertising and promotion and manufacturing practices and other editorial changes have also been incorporated.

Based on review of the analysis of phase 3 data from COV-2067⁷ (NCT04425629), a phase 1/2/3 randomized, double-blind, placebo-controlled trial evaluating the safety and efficacy of a single intravenous infusion of 600 mg casirivimab and 600 mg imdevimab in outpatients (non-hospitalized) with SARS-CoV-2 infection, it is reasonable to believe that REGEN-COV may be effective for the treatment of mild to moderate COVID-19 in adults and pediatric patients (12 years of age and older weighing at least 40 kg) with positive results of direct SARS-CoV-2 viral testing, and who are at high risk for progression to severe COVID-19, including hospitalization or death, and that, when used under the conditions described in this authorization, the known and potential benefits of REGEN-COV outweigh the known and potential risks of such product.

Having concluded that the criteria for issuance of this authorization under Section 564(c) of the Act are met, I am authorizing the emergency use of REGEN-COV for treatment of COVID-19, as described in the Scope of Authorization section of this letter (Section II) and subject to the terms of this authorization.

⁴ FDA revised the condition on requesting changes to this authorization, including changes to the authorized Fact Sheets. New conditions were also incorporated relating to the development of instructional or educational materials, as well as certain mandatory reporting requirements for healthcare facilities and providers. In addition to certain editorial and/or clarifying revisions, the Fact Sheet for Healthcare Providers was revised to include information on the new mandatory reporting requirements on therapeutics information and utilization data for healthcare facilities and providers. Updated safety information and details on possible side effects were also incorporated into the authorized Fact Sheets.

⁵ FDA revised the condition on instructional and educational materials. New conditions were also incorporated on the establishment of a process for monitoring genomic databases for the emergence of global viral variants of SARS-CoV-2 and the assessment, if requested by FDA, of the activity of the authorized REGEN-COV against any global SARS-CoV-2 variant(s) of interest.

⁶ Upon re-issuance of this letter, the authorized use for REGEN-COV will read as follows: REGEN-COV (casirivimab and imdevimab) co-formulated product and REGEN-COV (casirivimab and imdevimab) supplied as individual vials to be administered together is authorized for emergency use for the treatment of mild to moderate coronavirus disease 2019 (COVID-19) in adults and pediatric patients (12 years of age and older weighing at least 40 kg) with positive results of direct SARS-CoV-2 viral testing, and who are at high risk for progression to severe COVID-19, including hospitalization or death.

⁷ Referred to as trial R10933-10987-COV-2067 in previous iterations of this Letter of Authorization.

I. Criteria for Issuance of Authorization

I have concluded that the emergency use of REGEN-COV for the treatment of COVID-19 when administered as described in the Scope of Authorization (Section II) meets the criteria for issuance of an authorization under Section 564(c) of the Act, because:

1. SARS-CoV-2 can cause a serious or life-threatening disease or condition, including severe respiratory illness, to humans infected by this virus;
2. Based on the totality of scientific evidence available to FDA, it is reasonable to believe that REGEN-COV may be effective in treating mild to moderate COVID-19 in adults and pediatric patients (12 years of age and older weighing at least 40 kg) with positive results of direct SARS-CoV-2 viral testing, and who are at high risk for progression to severe COVID-19, including hospitalization or death, and that, when used under the conditions described in this authorization, the known and potential benefits of REGEN-COV outweigh the known and potential risks of such products; and
3. There is no adequate, approved, and available alternative to the emergency use of REGEN-COV for the treatment of mild to moderate COVID-19 in adults and pediatric patients (12 years of age and older weighing at least 40 kg) with positive results of direct SARS-CoV-2 viral testing, and who are at high risk for progression to severe COVID-19, including hospitalization or death.⁸

II. Scope of Authorization

I have concluded, pursuant to Section 564(d)(1) of the Act, that the scope of this authorization is limited as follows:

- Distribution of the authorized REGEN-COV will be controlled by the United States (U.S.) Government for use consistent with the terms and conditions of this EUA. Regeneron will supply REGEN-COV to authorized distributor(s)⁹, who will distribute to healthcare facilities or healthcare providers as directed by the U.S. Government, in collaboration with state and local government authorities as needed;
- REGEN-COV will be used only by healthcare providers to treat mild to moderate COVID-19 in adults and pediatric patients (12 years of age and older weighing at least 40 kg) with positive results of direct SARS-CoV-2 viral testing, and who are at high risk for progressing to severe COVID-19, including hospitalization or death;
- The monoclonal antibodies that comprise REGEN-COV, casirivimab and imdevimab, may only be administered together;

⁸ No other criteria of issuance have been prescribed by regulation under Section 564(c)(4) of the Act.

⁹ “Authorized Distributor(s)” are identified by Regeneron as an entity or entities allowed to distribute authorized REGEN-COV.

- REGEN-COV is not authorized for use in the following patient populations¹⁰:
 - Adults or pediatric patients who are hospitalized due to COVID-19, or
 - Adults or pediatric patients who require oxygen therapy due to COVID-19, or
 - Adults or pediatric patients who require an increase in baseline oxygen flow rate due to COVID-19 in those patients on chronic oxygen therapy due to underlying non-COVID-19-related comorbidity.
- REGEN-COV may only be administered in settings in which health care providers have immediate access to medications to treat a severe infusion reaction, such as anaphylaxis, and the ability to activate the emergency medical system (EMS), as necessary.
- REGEN-COV is authorized for intravenous infusion. Subcutaneous injection is authorized as an alternative route of administration when intravenous infusion is not feasible and would lead to delay in treatment.
- The use of REGEN-COV covered by this authorization must be in accordance with the dosing regimens as detailed in the authorized Fact Sheets.

Product Description

REGEN-COV is available in two distinct presentations:

Dose pack bags: Dose pack bags will include a sufficient number of vials of casirivimab and imdevimab to prepare up to two treatment doses.¹¹ Casirivimab and imdevimab are each supplied in individual single use vials. Individual vials and carton container labeling for casirivimab and imdevimab included in dose pack bags are clearly marked “For Use under Emergency Use Authorization.” Casirivimab and imdevimab are recombinant neutralizing human IgG1 monoclonal antibodies that target the receptor binding domain of the spike protein of SARS-CoV-2.

Casirivimab is available as 300 mg/2.5 mL (120 mg/mL) or 1332 mg/11.1 mL (120 mg/mL) sterile, preservative-free aqueous solution to be diluted prior to infusion. Imdevimab is available as 300 mg/2.5

¹⁰ Benefit of treatment with REGEN-COV has not been observed in patients hospitalized due to COVID-19. Monoclonal antibodies, such as casirivimab and imdevimab, may be associated with worse clinical outcomes when administered to hospitalized patients with COVID-19 requiring high flow oxygen or mechanical ventilation.

¹¹ Individual vials of casirivimab and imdevimab distributed in interstate commerce prior to the reissuance of this letter remain authorized for emergency use. FDA is not requiring that such product be repackaged given the public health need for the product. The use of the individual vials of casirivimab and imdevimab must be consistent with the terms and conditions of this authorization. Individual vial labels for casirivimab and imdevimab and carton labeling may be clearly marked with either “Caution: New Drug - Limited by Federal (or United States) law to investigational use” or with “For use under Emergency Use Authorization (EUA)”. Some vial labels and carton labeling of casirivimab and imdevimab may be instead labeled with the Investigational New Drug (IND) clinical trial code name as “REGN10933” and “REGN10987”, respectively.

mL (120 mg/mL) or 1332 mg/11.1 mL (120 mg/mL) sterile, preservative-free aqueous solution to be diluted prior to infusion.

The dose pack bags containing unopened vials of casirivimab injection and imdevimab injection should be stored under refrigerated temperature at 2°C to 8°C (36°F to 46°F). The vials should be kept in the individual original cartons to protect from light.

Co-formulated solution of REGEN-COV: The co-formulated solution of REGEN-COV contains two antibodies in a 1:1 ratio in a single dose vial consisting of 600 mg casirivimab and 600 mg of imdevimab per 10 mL (60 mg/60 mg per mL). Individual vials of co-formulated REGEN-COV are clearly marked “For Use under Emergency Use Authorization.” Casirivimab and imdevimab are recombinant neutralizing human IgG1 monoclonal antibodies that target the receptor binding domain of the spike protein of SARS-CoV-2.

Co-formulated casirivimab and imdevimab is a sterile, preservative-free, clear to slightly opalescent, colorless to pale yellow solution. Co-formulated REGEN-COV may be administered via intravenous infusion or subcutaneous injection.

Either presentation of REGEN-COV as described above may be prepared for intravenous infusion or subcutaneous injection.

IV administration: Solution in vial requires dilution prior to administration. The prepared infusion solution is intended to be used immediately. If immediate administration is not possible, store diluted casirivimab and imdevimab solution in the refrigerator at 2°C to 8°C (36°F to 46°F) for no more than 36 hours or at room temperature up to 25°C (77°F) for no more than 4 hours. If refrigerated, allow the infusion solution to equilibrate to room temperature for approximately 30 minutes prior to administration.

Subcutaneous injection: The prepared syringes should be administered immediately. If immediate administration is not possible, store the prepared casirivimab and imdevimab syringes in the refrigerator between 2°C to 8°C (36°F to 46°F) for no more than 4 hours or at room temperature up to 25°C (77°F) for no more than 4 total hours. If refrigerated, allow the syringes to equilibrate to room temperature for approximately 20 minutes prior to administration.

REGEN-COV is authorized for emergency use with the following product-specific information required to be made available to healthcare providers and patients/caregivers, respectively, through Regeneron’s website at www.REGENCOV.com:

- Fact Sheet for Health Care Providers: Emergency Use Authorization (EUA) of REGEN-COV (casirivimab and imdevimab)
- Fact Sheet for Patients, Parents and Caregivers: Emergency Use Authorization (EUA) of REGEN-COV (casirivimab and imdevimab) for Coronavirus Disease 2019 (COVID-19)

I have concluded, pursuant to Section 564(d)(2) of the Act, that it is reasonable to believe that the known and potential benefits of REGEN-COV, when used for the treatment of COVID-19

and used in accordance with this Scope of Authorization (Section II), outweigh the known and potential risks.

I have concluded, pursuant to Section 564(d)(3) of the Act, based on the totality of scientific evidence available to FDA, that it is reasonable to believe that REGEN-COV may be effective for the treatment of COVID-19 when used in accordance with this Scope of Authorization (Section II), pursuant to Section 564(c)(2)(A) of the Act.

Having reviewed the scientific information available to FDA, including the information supporting the conclusions described in Section I above, I have concluded that REGEN-COV (as described in this Scope of Authorization (Section II)) meets the criteria set forth in Section 564(c) of the Act concerning safety and potential effectiveness.

The emergency use of your product under an EUA must be consistent with, and may not exceed, the terms of the Authorization, including the Scope of Authorization (Section II) and the Conditions of Authorization (Section III). Subject to the terms of this EUA and under the circumstances set forth in the Secretary of HHS's determination under Section 564(b)(1)(C) described above and the Secretary of HHS's corresponding declaration under Section 564(b)(1), REGEN-COV is authorized to treat mild to moderate COVID-19 illness in adults and pediatric patients (12 years of age and older weighing at least 40 kg) with positive results of direct SARS-CoV-2 viral testing, who are at high risk for progression to severe COVID-19 illness, including hospitalization or death, as described in the Scope of Authorization (Section II) under this EUA, despite the fact that it does not meet certain requirements otherwise required by applicable federal law.

III. Conditions of Authorization

Pursuant to Section 564 of the Act, I am establishing the following conditions on this authorization:

Regeneron and Company (Regeneron) and Authorized Distributors

- A. Regeneron and authorized distributor(s) will ensure that the authorized REGEN-COV is distributed as directed by the U.S. government, and the authorized labeling (i.e., Fact Sheets) will be made available to healthcare facilities and/or healthcare providers consistent with the terms of this letter.
- B. Regeneron and authorized distributor(s) will ensure that appropriate storage and cold chain is maintained until the product is delivered to healthcare facilities and/or healthcare providers.
- C. Regeneron and authorized distributor(s) will ensure that the terms of this EUA are made available to all relevant stakeholders (e.g., U.S. government agencies, state and local government authorities, authorized distributors, healthcare facilities, healthcare providers) involved in distributing or receiving authorized REGEN-COV. Regeneron will provide to all relevant stakeholders a copy of this letter of authorization and communicate any subsequent amendments that might be made to this letter of authorization and its authorized accompanying materials (i.e., Fact Sheets).

- D. Regeneron may request changes to this authorization, including to the authorized Fact Sheets for REGEN-COV. Any request for changes to this EUA must be submitted to the Office of Infectious Diseases/Office of New Drugs/Center for Drug Evaluation and Research. Such changes require appropriate authorization prior to implementation.¹²
- E. Regeneron may develop and disseminate instructional and educational materials (e.g., materials providing information on product administration and/or patient monitoring) that are consistent with the authorized emergency use of REGEN-COV as described in this letter of authorization and authorized labeling, without FDA's review and concurrence, when necessary to meet public health needs. Any instructional and educational materials that are inconsistent with the authorized labeling for REGEN-COV are prohibited. Should the Agency become aware of any instructional or educational materials that are inconsistent with the authorized labeling for REGEN-COV, the Agency will require Regeneron to cease distribution of such instructional and educational materials.
- F. Regeneron will report to FDA serious adverse events and all medication errors associated with the use of the authorized REGEN-COV that are reported to Regeneron using either of the following options.

Option 1: Submit reports through the Safety Reporting Portal (SRP) as described on the [FDA SRP](#) web page.

Option 2: Submit reports directly through the Electronic Submissions Gateway (ESG) as described on the [FAERS electronic submissions](#) web page.

Submitted reports under both options should state: "REGEN-COV use for COVID-19 under Emergency Use Authorization (EUA)." For reports submitted under Option 1, include this language at the beginning of the question "Describe Event" for further analysis. For reports submitted under Option 2, include this language at the beginning of the "Case Narrative" field.

- G. All manufacturing facilities will comply with Current Good Manufacturing Practice requirements.

¹² The following types of revisions may be authorized without reissuing this letter: (1) changes to the authorized labeling; (2) non-substantive editorial corrections to this letter; (3) new types of authorized labeling, including new fact sheets; (4) new carton/container labels; (5) expiration dating extensions; (6) changes to manufacturing processes, including tests or other authorized components of manufacturing; (7) new conditions of authorization to require data collection or study; (8) new strengths of the authorized product, new product sources (e.g., of active pharmaceutical ingredient) or of product components. For changes to the authorization, including the authorized labeling, of the type listed in (3), (6), (7), or (8), review and concurrence is required from the Counter-Terrorism and Emergency Coordination Staff/Office of the Center Director/CDER and the Office of Counterterrorism and Emerging Threats/Office of the Chief Scientist.

H. Regeneron will submit information to the Agency within three working days of receipt of any information concerning significant quality problems with distributed drug product of REGEN-COV that includes the following:

- Information concerning any incident that causes the drug product or its labeling to be mistaken for, or applied to, another article; or
- Information concerning any microbiological contamination, or any significant chemical, physical, or other change or deterioration in the distributed drug product, or any failure of one or more distributed batches of the product to meet the established specifications.

If a significant quality problem affects unreleased product and may also impact product(s) previously released and distributed, then information should be submitted for all potentially impacted lots.

Regeneron will include in its notification to the Agency whether the batch, or batches, in question will be recalled. If FDA requests that these, or any other batches, at any time, be recalled, Regeneron must recall them.

If not included in its initial notification, Regeneron must submit information confirming that Regeneron has identified the root cause of the significant quality problems and taken corrective action, and provide a justification confirming that the corrective action is appropriate. Regeneron must submit this information as soon as possible but no later than 45 calendar days from the initial notification.

- I. Regeneron will manufacture REGEN-COV to meet all quality standards and per the manufacturing process and control strategy as detailed in Regeneron's EUA request. Regeneron will not implement any changes to the description of the product, manufacturing process, facilities and equipment, and elements of the associated control strategy that assure process performance and quality of the authorized product, without notification to and concurrence by the Agency as described under condition D.
- J. Regeneron will list the single dose pack bag and the co-formulated product containing casirivimab and imdevimab with unique NDC product codes from each other and the NDC product codes of the single ingredient listings under the marketing category of Unapproved Drug-Other. As applicable, different vial sizes should be identified by a different package NDC within the product NDC. Further, the listing will include each establishment where manufacturing is performed for the drug and the type of operation performed at such establishment.
- K. Through a process of inventory control, Regeneron and authorized distributor(s) will maintain records regarding distribution of the authorized casirivimab and imdevimab (i.e., lot numbers, quantity, receiving site, receipt date).
- L. Regeneron and authorized distributor(s) will make available to FDA upon request any records maintained in connection with this EUA.

- M. Regeneron will establish a process for monitoring genomic database(s) for the emergence of global viral variants of SARS-CoV-2. A summary of Regeneron's process should be submitted to the Agency as soon as practicable, but no later than 30 calendar days of the issuance of this letter, and within 30 calendar days of any material changes to such process. Regeneron will provide reports to the Agency on a monthly basis summarizing any findings as a result of its monitoring activities and, as needed, any follow-up assessments planned or conducted.
- N. FDA may require Regeneron to assess the activity of the authorized REGEN-COV against any global SARS-CoV-2 variant(s) of interest (e.g., variants that are prevalent or becoming prevalent that harbor substitutions in the target protein or in protein(s) that interact with the target protein). Regeneron will perform the required assessment in a manner and timeframe agreed upon by Regeneron and the Agency. Regeneron will submit to FDA a preliminary summary report immediately upon completion of its assessment followed by a detailed study report within 30 calendar days of study completion. Regeneron will submit any relevant proposal(s) to revise the authorized labeling based on the results of its assessment, as may be necessary or appropriate based on the foregoing assessment.
- O. Regeneron shall provide samples as requested of the authorized REGEN-COV to the U.S. Department of Health and Human Services (HHS) for evaluation of activity against emerging global viral variants of SARS-CoV-2, including specific amino acid substitution(s) of interest (e.g., variants that are highly prevalent or that harbor substitutions in the target protein) within 5 business days of any request made by HHS. Analyses performed with the supplied quantity of authorized REGEN-COV may include, but are not limited to, cell culture potency assays, protein binding assays, cell culture variant assays (pseudotyped virus-like particles and/or authentic virus), and *in vivo* efficacy assays.
- P. Regeneron will submit to FDA all sequencing data assessing REGEN-COV, including sequencing of any participant samples from the full analysis population from COV-2067 that have not yet been completed no later than July 30, 2021. Regeneron will provide the Agency with a frequency table reporting all substitutions detected for all participants at all available time points at a frequency $\geq 5\%$.
- Q. Regeneron will submit to FDA all SARS-CoV-2 nasopharyngeal viral shedding and blood viral load data, including quantitation of viral load for any participant samples from the full analysis population for which REGEN-COV is currently authorized from COV-2067 that have not yet been completed, no later than July 30, 2021.

Healthcare Facilities to Whom the Authorized REGEN-COV Is Distributed and Healthcare Providers Administering the Authorized Casirivimab and Imdevimab

- R. Healthcare facilities and healthcare providers will ensure that they are aware of the letter of authorization, and the terms herein, and that the authorized Fact Sheets are made available to healthcare providers and to patients and caregivers, respectively, through appropriate means, prior to administration of REGEN-COV.

- S. Healthcare facilities and healthcare providers receiving REGEN-COV will track serious adverse events that are considered to be potentially attributable to REGEN-COV use and must report these to FDA in accordance with the Fact Sheet for Healthcare Providers. Complete and submit a MedWatch form (www.fda.gov/medwatch/report.htm), or Complete and submit FDA Form 3500 (health professional) by fax (1-800-FDA-0178) (these forms can be found via link above). Call [1-800-FDA-1088](tel:1-800-FDA-1088) for questions. Submitted reports should state, “REGEN-COV use for COVID-19 under Emergency Use Authorization” at the beginning of the question “Describe Event” for further analysis.
- T. Healthcare facilities and healthcare providers will ensure that appropriate storage and cold chain is maintained until the product is administered consistent with the terms of this letter.
- U. Through a process of inventory control, healthcare facilities will maintain records regarding the dispensed authorized REGEN-COV (i.e., lot numbers, quantity, receiving site, receipt date), product storage, and maintain patient information (e.g., patient name, age, disease manifestation, number of doses administered per patient, other drugs administered).
- V. Healthcare facilities will ensure that any records associated with this EUA are maintained until notified by Regeneron and/or FDA. Such records will be made available to Regeneron, HHS, and FDA for inspection upon request.
- W. Healthcare facilities and providers will report therapeutics information and utilization data as directed by the U.S. Department of Health and Human Services.

Conditions Related to Printed Matter, Advertising and Promotion

- X. All descriptive printed matter, advertising, and promotional materials relating to the use of the REGEN-COV under this authorization shall be consistent with the authorized labeling, as well as the terms set forth in this EUA, and meet the requirements set forth in section 502(a) and (n) of the Act and FDA implementing regulations. In addition, such materials shall:
- Be tailored to the intended audience.
 - Not take the form of reminder advertisements, as that term is described in 21 CFR 202.1(e)(2)(i), 21 CFR 200.200 and 21 CFR 201.100(f).
 - Present risk information concurrently in the audio and visual parts of the presentation for advertisements disseminated through media such as radio, television, or telephone communications.
 - Be accompanied by the authorized labeling.
 - Be submitted to FDA accompanied by Form FDA-2253 at the time of initial dissemination or first use.

If the Agency notifies Regeneron that any descriptive printed matter, advertising or promotional materials do not meet the terms set forth in conditions X-Z of this EUA, Regeneron must cease distribution of such descriptive printed matter, advertising, or promotional materials in accordance with the Agency’s notification. Furthermore, as part

of its notification, the Agency may also require Regeneron to issue corrective communication(s).

- Y. No descriptive printed matter, advertising, or promotional materials relating to the use of REGEN-COV under this authorization may represent or suggest that REGEN-COV is safe or effective when used for the treatment of mild-to-moderate COVID-19 in adults and pediatric patients (12 years of age and older weighing at least 40 kg) with positive results of direct SARS-CoV-2 viral testing, and who are at high risk for progression to severe COVID-19, including hospitalization or death.
- Z. All descriptive printed matter, advertising, and promotional material, relating to the use of the REGEN-COV clearly and conspicuously shall state that:
- REGEN-COV has not been approved, but has been authorized for emergency use by FDA under an EUA, to treat mild-to-moderate COVID-19 in adults and pediatric patients (12 years of age and older weighing at least 40 kg) with positive results of direct SARS-CoV-2 viral testing, and who are at high risk for progression to severe COVID-19, including hospitalization or death; and
 - The emergency use of REGEN-COV is only authorized for the duration of the declaration that circumstances exist justifying the authorization of the emergency use of drugs and biological products during the COVID-19 pandemic under Section 564(b)(1) of the Act, 21 U.S.C. § 360bbb-3(b)(1), unless the declaration is terminated or authorization revoked sooner.

IV. Duration of Authorization

This EUA will be effective until the declaration that circumstances exist justifying the authorization of the emergency use of drugs and biological products during the COVID-19 pandemic is terminated under Section 564(b)(2) of the Act or the EUA is revoked under Section 564(g) of the Act.

Sincerely,

RADM Denise M. Hinton
Chief Scientist
Food and Drug Administration